



TOWN OF NORTH GREENBUSH

2 DOUGLAS STREET

WYNANTSKILL, NY 12198-7561

TELEPHONE (518) 283-5313

FAX (518) 286-2261

June 6, 2014

Dear Residents,

Enclosed please find the Town of North Greenbush's 2013 Annual Water Quality Report. The Town is required by drinking water regulations of the New York State Department of Health (NYS DOH) to make available to every resident a copy of this report. The Town of North Greenbush's internet web site at: <http://www.townofng.com> has this document on it for your review.

In 2013, the John P. Buckley Water Treatment Plant operated by the City of Troy has produced water, which is purchased by the Town of North Greenbush for its residents, that is of the highest quality that surpasses all stringent federal regulations.

This Annual Water Quality Report is designed to provide consumers with information on the quality of the water delivered by their public water system. The Annual Water Quality Report contains information about the water system; information on the source of the water; reporting levels of contaminants detected in the finished water; information on cryptosporidium, radon, and other unregulated contaminants; information on any violations of the national primary drinking water regulations; and information regarding any variances or exemptions the water system may be operating under.

Consumers have the right to know what is in their drinking water. The information contained in the Annual Water Quality Report can raise consumers' awareness regarding the source of their drinking water, help consumers to understand the process by which safe drinking water is delivered to their homes, and educate consumers about the importance of preventative measures, such as source protection, that ensure a safe drinking water supply. Consumers can use the information in this report, especially those with special health needs, to make informed decisions regarding their drinking water. Educated consumers are more likely to help protect their drinking water sources and to appreciate the true costs of safe drinking water.

We also invite you to visit the Town of North Greenbush's internet web site at: <http://www.townofng.com> for additional information about our Town along with information regarding meetings of the Town Board and other boards / committees.

Very truly yours,

Alson J. Spain, Jr., Supervisor
Louis J. Desso, Deputy Supervisor
Joseph Bott, Councilman
Kelly C. Hoffman, Councilwoman
Michael Masone, Councilman

Introduction

To comply with State and Federal regulations, the Town of North Greenbush annually issues a report describing the quality of your drinking water. The purpose of this report is to raise your understanding of drinking water and increase your awareness of the need to protect our drinking water sources. Last year, your tap water met all State drinking water health standards. We are proud to report that our system and our supplying systems did not violate a maximum contaminant level or any other water quality standard. This report provides an overview of last year's water quality. Included in the report are details about where your water comes from, what it contains, and how it compares to State standards.

If you have any questions about this report or concerning your drinking water, please contact **the Town of North Greenbush Utilities Department, (518) 283-2714**. We want you to be informed about your drinking water. If you want to learn more, please attend any of the regularly scheduled town board meetings. The meetings are held on the 2nd and 4th Thursday of each month at 7:00 PM at Town Hall, 2 Douglas Street, Wynantskill, New York.

Where Does Our Water Come From?

In general, the sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activities. Contaminants that may be present in source water include: microbial contaminants; inorganic contaminants; pesticides and herbicides; organic chemical contaminants; and radioactive contaminants. In order to ensure that tap water is safe to drink, the State Health Department and the EPA prescribe regulations which limit the amount of certain contaminants in water provided by public water systems. The State Health Department's and the FDA's regulations establish limits for contaminants in bottled water which must provide the same protection for public health.

The water source for the Town of North Greenbush is the City of Troy (City), Troy uses the Tomhannock Reservoir, a man made reservoir 6 ½ miles northeast of the City. The reservoir is 5 ½ miles long and holds 12.3 billion gallons when full. The quality of the water from the Tomhannock Reservoir is good to excellent. During 2013, the City of Troy and Town of North Greenbush did not experience any restriction of water. Water flows from the reservoir by gravity where seasonally Potassium Permanganate is added, and then at the Melrose Chlorination Station the water is pre-disinfected with chlorine dioxide. The water then flows to the John P. Buckley Water Treatment Plant (WTP), a conventional water treatment plant utilizing coagulation, flocculation, sedimentation, filtration, chlorination and fluoridation processes.

The Town of North Greenbush re-chlorinates the water supplied by the City of Troy in order to provide for acceptable chlorine residual in the water as required by New York State Department of Health. There are two (2) chlorination stations located in town, one on Winter Street Extension west of Cameron Road and the second is located on Main Avenue east of the Troy City Line. The Snyders Lake Road Water Pump Station also has facilities to re-chlorinate the water if necessary.

The City of Troy sells water to the Town of North Greenbush at several locations including water mains on Pawling Avenue at the city/town line, at Winter Street Extension near the city/town line and US Route 4 near Williams Road. The Town of North Greenbush also buys City water from the Town of East Greenbush/ City of Rensselaer Joint Facilities (36" water main) located along US Route 4 (North Greenbush Road), there are several connections to the 36" water main. From these connections, the western portion of the Town of North Greenbush is supplied with City of Troy water.

The New York State Health Department completed a Source Water Assessment for the Tomhannock Reservoir. It includes a susceptibility rating based on the risk posed by each potential source of contamination and how likely contaminants could enter the reservoir and is only an estimate of the potential for contamination. It does not mean that the water delivered to your home is or will become unsafe to drink. The assessment found an elevated susceptibility to contamination for this source of drinking water. The amount of agricultural lands in the assessment area results in elevated potential for protozoa and pesticides contamination. However, there is reason to believe that land cover data may over estimate the percentage of row crops in the assessment area. While there are some facilities present, permitted discharges do not likely represent an important threat to source water quality, based on their density in the assessment area. In addition, it appears that the total amount of wastewater discharged to surface water in this assessment area is not high enough to further raise the potential for contamination (particularly for protozoa). There is also noteworthy contamination susceptibility associated with other discrete contaminant sources, and these facility types include: mines and closed landfills. Finally, it should be noted that hydrologic characteristics (e.g. basin shape and flushing rates) generally make reservoirs highly sensitive to existing and new sources of phosphorus and microbial contamination.

Facts and Figures

The Town of North Greenbush Utilities Department supplies water to approximately 5,100 residents of the town, including several commercial and industrial customers. Most notable is RPI Tech Park located off US Route 4 in the western part of the town.

In addition to the various Town of North Greenbush authorized Water Districts, there is one (1) private water company in the town that supplies water to residents of the Lake Meadows Subdivision located off Snyders Lake Road.

Water Rates

Most residential, industrial and commercial customers pay the same water rate per water district, See the attached "Town of North Greenbush 2013 Water Rates/Costs". Effective May 1, 2007, the rate that the Town of North Greenbush paid to the Town of East Greenbush/City of Rensselaer Joint Water District for water increased from \$3.70 to \$4.95 per 1,000 gallons. Effective August 1, 2011, the rate that the Town of North Greenbush paid to the Town of East Greenbush/City of Rensselaer Joint Water District for water increased from \$4.95 to \$5.95 per 1,000 gallons which is the city of Rensselaer resident's rate. In 2013, the Town of North Greenbush paid \$3.9468 per 1,000 gallons of water directly from the City of Troy. The city of Troy residential rate is \$3.43 per 1,000 gallons contractually the City of Troy adds an additional 15% to the city rate. The Town of North Greenbush adds an additional \$0.45 - \$0.59 per 1,000 gallons of water usage, to its customer's water rate per 1,000 gallons to pay for flushing of fire hydrants and any other unaccounted water usage in the district.

All services are metered at individual customer location. Master water meters are located at connections where water is purchased from either the City of Troy or the Town of East Greenbush/City of Rensselaer Joint Water District Facilities. Some water is unaccounted for, this water is used to pressure test and chlorinate new water mains, flush existing water mains and fire hydrants, to train fire-fighting personnel, to fight fires and occasional leakage in the water system. Unaccounted for water is estimated to be approximately 10% in 2013.

Are There Contaminants In Our Drinking Water?

Water quality testing is required of all public water systems by Part 5 of the New York State Sanitary Code. According to these requirements, the City of Troy and the Town of North Greenbush routinely tests your drinking water for numerous contaminants. These contaminants include: total coliform, turbidity, inorganic compounds, nitrate, nitrite, lead and copper, volatile organic compounds, total trihalomethanes, and synthetic organic compounds. The attached tables indicate which contaminants were detected and which were not, for the City of Troy and the Districts of North Greenbush.

We are required to present the following information on lead in drinking water:

If present, elevated levels of lead can cause serious health problems, especially for pregnant women, infants, and young children. It is possible that lead levels at your home may be higher than at other homes in the community as a result of materials used in your home's plumbing. The City of Troy and Town of North Greenbush is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline (1-800-426-4791) or at <http://www.epa.gov/safewater/lead>.

It should be noted that all drinking water, including bottled drinking water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the EPA's Safe Drinking Water Hotline (800-426-4791) or the Rensselaer County Health Department at 270-2674.

What Does This Information Mean?

As you can see by the tables, our system had no violations in 2013. We have learned through our testing that some contaminants have been detected; however, these contaminants were detected below New York State requirements.

Is Our Water System Meeting Other Rules That Govern Operations?

During 2013, our system was in compliance with all applicable State drinking water operating, monitoring and reporting requirements.

Do I Need to Take Special Precautions?

Although our drinking water met or exceeded state and federal regulations, some people may be more vulnerable to disease causing microorganisms or pathogens in drinking water than the general population. Immune-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice from their health care provider about their drinking water. EPA/CDC guidelines on appropriate means to lessen the risk of infection by Cryptosporidium, Giardia and other microbial pathogens are available from the Safe Drinking Water Hotline (800-426-4791).

Information of Fluoride Addition

Our system is one of the many drinking water systems in New York State that provides drinking water with a controlled, low level of fluoride for consumer dental health protection. According to the United States Centers for Disease Control, fluoride is very effective in preventing cavities when present in drinking water at an optimal range from 0.8 to 1.2 mg/l (parts per million). To ensure that the fluoride supplement in your water provides optimal dental protection, the State Department of Health requires that fluoride levels are monitored on a daily basis. During 2013 monitoring showed fluoride levels in your water were in the optimal range 100 % of the time. None of the monitoring results showed fluoride at levels that approach the 2.2 mg/l MCL for fluoride.

Why Save Water and How to Avoid Wasting It?

Although our system has an adequate amount of water to meet present and future demands, there are a number of reasons why it is important to conserve water:

- Saving water saves energy and some of the costs associated with both of these necessities of life;
- Saving water reduces the cost of energy required to pump water and the need to construct costly new sources, pumping systems and water towers; and
- Saving water lessens the strain on the water system during a dry spell or drought, helping to avoid severe water use restrictions so that essential firefighting needs are met.

There are many measures that customers can take to conserve water. You can play a role in conserving water by becoming conscious of the amount of water your household is using, and by looking for ways to use less whenever you can. It is not hard to conserve water. Conservation tips include:

- Automatic dishwashers use 15 gallons for every cycle, regardless of how many dishes are loaded. Run it only when you have loaded it to capacity.
- Turn off the tap when brushing your teeth.
- Check every faucet in your home for leaks. Just a slow drip can waste 15 to 20 gallons a day. Fix it and you can save almost 6,000 gallons per year.
- Check your toilets for leaks by putting a few drops of food coloring in the tank, watch for a few minutes to see if the color shows up in the bowl. It is not uncommon to lose up to 100 gallons a day from one of these otherwise invisible toilet leaks. Fix it and you save more than 30,000 gallons a year.
- Use your water meter to detect hidden leaks. Simply turn off all taps and water using appliances, then check the meter after 15 minutes, if it moved, you have a leak.

System Improvements

During 2013 the Town of North Greenbush did not implemented any water system improvements:

System Maintenance

The Town of North Greenbush Utilities Department is in charge of all maintenance on the water system. Routine maintenance such as fire hydrant flushing and repairs are performed each year. Several fire hydrants are repainted on an annual basis and a program to color code with paint tops and the outlet nozzle caps of the fire hydrants (in accordance with their rated capacities as per AWWA recommendations) was started in 2006 and continued in 2013. Several water valve boxes are inspected and cleaned annually. Preventative maintenance was completed on large Pressure Reducing Valves (PRV) Chambers. Residential water meters are being upgraded to radio read meters. The Utilities Department personnel repair minor water leaks while outside contractors repair any major leaks. No major leaks or main breaks were reported in 2013. Additionally, Utilities Department personnel are responsible for the operation and maintenance of two chlorination stations (Main Avenue and Winter Street Ext), two water-pumping stations (Snyders Lake Road and Sharpe Road) and two water storage tanks (Snyders Lake and Pond Hill). The Snyders Lake water storage tank was flushed to increase water quality.

Closing

Thank you for allowing us to continue to provide you and your family with quality drinking water in 2013. We will continue to monitor and achieve safe drinking water for years to come. We ask that all our customers help us protect our local water sources, which are the heart of our community and our way of life. Please call our office at (518) 283-2714 if you have any questions. The Rensselaer Land Trust is interested in helping us protect the Tomhannock Watershed. For more information visit their website at www.rtlc.org or write to RTLCL, PO Box 40, Lansingburgh Station, Troy, NY 12182.

Water Usage

District	PWS ID#	Gallons Per Year	Commercial Connections	Residential Connections
1	4100059	5,374,050	1	78
2	4130243	23,533,417	46	364
3	4100063	8,830,541	8	43
4	4130244	37,976,661	26	5
5		Billed by City of Rensselaer	N/A	N/A
6	4130253	22,424,610	3	197
7	4130245	29,000	1	1
8	4130246	571,996	2	0
9		Billed by City of East Greenbush	N/A	N/A
10	4130270	1,290,900	4	10
11	4130288	6,148,131	6	110
12	4130305	44,492,371	5	618
13	4130306	10,171,053	1	114
14	4130307	32,177,106	6	438
16	4130312	9,594,410	1	18
17		304,388		
18	4122875	6,846,541	0	82
RCW&SA		5,542,329	28	104
TOTAL		215,307,504 Gallons	138	2,182

District	General Area	Source	Water Purchased Per 1,000 gal	Debt Service Per Unit	O&M	Water Per 1,000 gal
1	East Ave, West Ave Cameron Rd, Winter St, Daniella Place Subd	Troy	\$3.9468	\$0.00	\$48.46	\$4.60
2	Wynantskill Area	Troy	\$3.9468	\$163.345 \$50.00 Superfund \$67.86 Vac	\$48.36	\$4.60
3	Glenmore Rd, Rt 4, Hampton Place	Troy	\$3.9468	\$0.00	\$49.65	\$4.60
4	RPI Tech Park	EG/R	\$5.95	\$0.00	\$101.56	Non Resid \$6.55
5	Van Allen Park	Renss	Billed by Renss	\$0.00	N/A	N/A
6	Meadow Dr, Crestwood Dr Williams Rd	Troy	\$3.9468	\$223.455 \$89.38 Vac	\$53.00	\$4.60
6	Rensselaer County Manor Complex 169 Units	Troy	\$3.9468	\$223.455	\$0.50/ 1,000 gal	\$3.9468
7	Rock Cut Road	Renss	\$5.95	\$0.00	\$54.02	\$6.55
8	Pruyn Slope Subd	EastG	\$5.95	\$0.00	\$108.04	Non Resid \$6.55
9	Phoenix Home Life	East G	Billed by East G	\$0.00	N/A	N/A
10	Highway Garage, Greenhill Rd Snyders Lake Road, Bloomingrove	Troy	\$3.9468	\$0.00	\$54.02	\$4.60
10	NYS Route 4	EG/R	\$5.95	\$0.00	\$54.02	\$5.45
11	Sandra Dr, Hilda Ct, Rt 4 Wanda Ct, Birch St, Winter St Ext	Troy	\$3.9468	\$266.444 \$106.5776Vac	\$44.48	\$4.60
12	Cameron,Albro,Hoyt,Whiteview Winter St, Bloomingrove,Zelenke,Swiss,Dutc Acres	Troy	\$3.9468	\$220.1649 \$88.06596Vac	\$51.48	\$4.60
13	Snyders Lake Area	Troy	\$3.9468	\$151.0049 \$60.40196 Vac	\$50.88	\$4.60
14	Wynantskill(South Side)	Troy	\$3.9468	\$229.4675 \$91.787 Vac	\$54.74	\$4.60
16	Oak Hill & Bloomingrove	Troy	\$3.9468	\$0.00	\$55.02	\$4.60
17	Quackenderry Commons	EG/R Troy	\$5.95 \$3.9468	\$0.00 \$0.00	\$108.04 \$54.02	Non Resid \$6.55 Apts \$4.60
18	Pond Hill Subdivision	Troy	\$3.9468	\$161.065 \$64.426 Vac	\$61.02	\$4.60
RC W&S	Ryan Subd, Partridge Hills Apt Valleyview Blvd	EG/R	\$5.95	\$0.00	\$52.36 \$104.72	Apts \$6.55 Non Resid \$6.55
Town Wide Water Area		N/A	N/A	\$1.000468	N/A	N/A

City of Troy 2013 Water Test Results

TABLE OF DETECTED CONTAMINANTS

Contaminant	Violation Yes/No	Date or Frequency of Sample	Level Detected			Unit Measurement	MCLG MRDLG	Regulatory Limit (MCL, TT, MRDL, AL)	Likely Source of Contamination	
			Value or Average	Range Low High						
Physical and Chemical Analytes										
pH	No	Daily	8.63	6.67	9.02	-	-	NDL	Adjusted at WTP	
Temperature	No	Daily	13.5	6.3	22.7	° C	n/a	NDL	-	
Color	No	Daily	9	0	28	color units	n/a	15	Naturally occurring	
Turbidity	No	Daily	0.28	0.14	1.34	NTU	n/a	5	Soil runoff	
Chlorine	No	Daily	0.82	0.12	1.10	mg/l	4	4.0	Added disinfectant	
Chlorine Dioxide	No	Daily	0.00	0.00	0.06	mg/l	0.8	0.8	Added disinfectant	
Fluoride	No	Daily	0.85	0.21	1.37	mg/l	n/a	2.2	Adjusted at WTP	
Alkalinity, as CaCO ₃	No	Daily	43.0	37.0	48.4	mg/l	n/a	NDL	Naturally occurring	
Hardness, as CaCO ₃	No	Weekly	53	50	56	mg/l	n/a	NDL	Naturally occurring	
Iron	No	Weekdays	0.02	0.00	0.15	mg/l	n/a	0.3	Naturally occurring	
Manganese	No	Weekdays	0.02	0.00	0.25	mg/l	n/a	0.3	Naturally occurring	
Disinfection By-Products										
Total Trihalomethanes	No	Quarterly	76.9	30.1	125.6	ug/l	n/a	80	Formed by reaction of chlorine and chlorine dioxide with naturally occurring organics.	
Total Haloacetic acids	No	Quarterly	34.1	16.0	52.0	ug/l	n/a	60		
Chlorite	No	Monthly	0.68	0.39	1.10	ug/l	n/a	1.00		
Chlorate	No	Monthly	0.13	0.04	0.29	ug/l	n/a	n/a		
Lead and Copper										
Lead *	No	Annually	0.008	<0.0010	0.062	mg/l	0	(AL) 0.015	Household plumbing corrosion, erosion of natural deposits.	
Copper	No	Annually	0.036	0.001	0.120	mg/l	1.30	(AL) 1.30		
Inorganic Chemicals										
Barium	No	7/17/2013	0.029	-	-	mg/l	2.0	2.0	Naturally occurring	
Chloride	No	7/17/2013	18.0	-	-	mg/l	n/a	250.0	Naturally occurring or road salt	
Chromium	No	7/17/2013	0.0015	-	-	mg/l	0.10	0.10	Erosion of natural deposits	
Nitrate-as N	No	7/17/2013	0.16	-	-	mg/l	10.0	10.0	Runoff from fertilizer	
Sodium **	No	7/17/2013	8.8	-	-	mg/l	n/a	**	Naturally occurring	
Sulfate	No	7/17/2013	15.0	-	-	mg/l	n/a	250.0	Naturally occurring	
Zinc	No	7/17/2013	0.029	-	-	mg/l	n/a	5.0	Naturally occurring	
MICROBIOLOGICAL TABLE										
Coliform	No	Weekdays	0.31%	-	-	%	0	5%	Naturally occurring	
E.Coli ***	No	Weekdays	0	-	-	-	0	***	Human/animal fecal waste	
Radiological										
Combined Radium 226/228	No	2009	0.59	4 quarterly samples taken every 6 years			pCi/l	0	5.0	Naturally occurring
Gross Alpha Particles	No	2009	0.38	4 quarterly samples taken every 6 years			pCi/l	0	15.0	Naturally occurring

TABLE OF NON-DETECTED CONTAMINANTS

Inorganic Chemicals			Organic Chemicals			
Antimony	Cyanide	Selenium	2,4,5-TP (Silvex)	Aldicarb Sulfoxide	Heptachlor	PCB's
Asbestos	Mercury	Silver	2,4-D	Atrazine	Hepachlor Epoxide	Pentachlorophenol
Arsenic	Nickel	Thallium	Alachlor	Carbofuran	Lindane	Toxaphene
Beryllium			Aldicarb	Chlordane	Methoxychlor	Vinyl Chloride
Cadmium			Aldicarb Sulfone	Endrin		

* Lead and Copper are reported at 90th percentile, where 90% of samples collected are less than the average value. Two of the thirty lead samples collected were above the Action Level (AL) of 0.015 mg/l.

** Water containing more than 20 mg/L of sodium should not be used for drinking by people on severely restricted sodium diets. Water containing more than 270 mg/L of sodium should not be used for drinking by people on moderately restricted sodium diets.

*** A violation occurs when a total coliform positive sample is positive for E. coli or when a total coliform positive sample is negative for E. coli but a repeat total coliform sample is positive and the sample is also positive for E. coli.

Definitions:

Maximum Contaminant Level (MCL): The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible.

Maximum Residual Disinfectant Level (MRDL): The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

Maximum Contaminant Level Goal (MCLG): The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Maximum Residual Disinfectant Level Goal (MRDLG): The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contamination.

Action Level (AA): The concentration of a contaminant which, if exceeded, triggers treatment or requirements which a water system must follow.

Treatment Technique (TT): A required process intended to reduce the level of a contaminant in drinking water.

Non-Detects (ND): Laboratory analysis indicates that the constituent is not present.

Nephelometric Turbidity Unit (NTU): A measure of the clarity of water. Turbidity in excess of 5 NTU is just noticeable to the average person.

Milligrams per liter (mg/l): Corresponds to one part of liquid in one million parts of liquid (parts per million - ppm).

Micrograms per liter (ug/l): Corresponds to one part of liquid in one billion parts of liquid (parts per billion - ppb).

Picocuries per liter (pCi/l): Corresponds to 0.037 disintegrations per second per liter. The average activity within the human body from Potassium-40 is 0.1 micro curies.

Town of North Greenbush 2013 Water Test Results
Water District No. 1 PWS ID# NY4100059
TABLE OF DETECTED CONTAMINANTS

Contaminant	Violation Yes/No	Date or Frequency of Sample	Level Detected			Unit Measurement	MCLG MRDLG	Regulatory Limit (MCL, TT, MRDL, AL)	Likely Source of Contamination
			Value or Average	Low	High				
Dibromoacetic Acid	No	Quarterly	<1	<0.5	<1	Ug/l			
Dichloroacetic Acid	No	Quarterly	12.3	6.0	19.5	Ug/l			
Monobromoacetic Acid	No	Quarterly	<1.0	<0.5	<1.0	Ug/l			
Monochloroacetic Acid	No	Quarterly	5.7	1.0	13.4	Ug/l			
Trichloroacetic Acid	No	Quarterly	12.9	9.3	20.0	Ug/l			
Total Haloacetic Acid	No	Quarterly	29.5	16.0	45.3	Ug/l		60	
Chloroform	No	Quarterly	48.4	30.8	86.9	Ug/l			
Bromodichloromethane	No	Quarterly	7.5	6.9	8.6	Ug/l			
Dibromochloromethane	No	Quarterly	1.1	<1.0	1.3	Ug/l			
Bromoform	No	Quarterly	<1	<1.0	<1.0	Ug/l			
Total Trihalomethane	No	Quarterly	56.5	39.0	95.5	Ug/l		80	
Inorganic Chemicals									
Nitrate-as N	No	Annually	<0.2	-	-	mg/l	10.0	10.0	Runoff from fertilizer
MICROBIOLOGICAL TABLE									
Coliform	No	Monthly	Neg	-	-	%	0	5%	Naturally occurring
Lead and Copper									
Lead **	No	2013	0.010	<0.001	0.019	mg/l		(AL) 0.015	Household plumbing corrosion, erosion of natural deposits.
Copper	No	2013	0.15	0.02	0.50	mg/l		(AL) 1.30	

** Lead and Copper are reported at 90th percentile, where 90% of samples collected are less than the average value. Zero lead samples were above the Action Level (AL) of 0.015 mg/l. Samples are taken every 3 years.

Town of North Greenbush 2013 Water Test Results

Water District No. 2 PWS ID# NY4130243

TABLE OF DETECTED CONTAMINANTS

Contaminant	Violation Yes/No	Date or Frequency of Sample	Level Detected			Unit Measurement	MCLG MRDLG	Regulatory Limit (MCL, TT, MRDL, AL)	Likely Source of Contamination
			Value or Average	Low	High				
Dibromoacetic Acid	No	Quarterly	<1	<0.5	<1	Ug/l			
Dichloroacetic Acid	No	Quarterly	17.4	11.4	22.0	Ug/l			
Monobromoacetic Acid	No	Quarterly	<1	<0.5	<1	Ug/l			
Monochloroacetic Acid	No	Quarterly	<2	<1	3.2	Ug/l			
Trichloroacetic Acid	No	Quarterly	14.5	8.2	23.0	Ug/l			
Total Haloacetic Acid	No	Quarterly	33.5	19.6	45.0	Ug/l		60	
Chloroform	No	Quarterly	44.2	25.6	75.4	Ug/l			
Bromodichloromethane	No	Quarterly	7.1	6.4	7.6	Ug/l			
Dibromochloromethane	No	Quarterly	1.2	<1.0	1.2	Ug/l			
Bromoform	No	Quarterly	<1	<1	<1	Ug/l			
Total Trihalomethane	No	Quarterly	51.9	33.2	82.7	Ug/l		80	
Inorganic Chemicals									
Nitrate-as N	No	Annually	<0.2	-	-	mg/l	10.0	10.0	Runoff from fertilizer

MICROBIOLOGICAL TABLE

Coliform	No	Monthly	Neg	-	-	%	0	5%	Naturally occurring
Lead and Copper									
Lead *	No	2010	<0.001	<0.001	<0.001	mg/l		(AL) 0.015	Household plumbing corrosion, erosion of natural deposits.
Copper	No	2010	0.03	<0.02	0.05	mg/l		(AL) 1.30	

* Lead and Copper are reported at 90th percentile, where 90% of samples collected are less than the average value. Zero lead samples were above the Action Level (AL) of 0.015 mg/l. Samples are taken every 3 years.

Town of North Greenbush 2013 Water Test Results

Water District No. 3 PWS ID# NY4100063

TABLE OF DETECTED CONTAMINANTS

Contaminant	Violation Yes/No	Date or Frequency of Sample	Level Detected			Unit Measurement	MCLG MRDLG	Regulatory Limit (MCL, TT, MRDL, AL)	Likely Source of Contamination
			Value or Average	Low	High				
Dibromoacetic Acid	No	Quarterly	<1	<0.5	<1	Ug/l			
Dichloroacetic Acid	No	Quarterly	9.9	5.7	15.3	Ug/l			
Monobromoacetic Acid	No	Quarterly	<1	<1	<1	Ug/l			
Monochloroacetic Acid	No	Quarterly	2.1	<1	6.4	Ug/l			
Trichloroacetic Acid	No	Quarterly	13.7	10.9	20.0	Ug/l			
Total Haloacetic Acid	No	Quarterly	25.7	19.0	32.9	Ug/l		60	
Chloroform	No	Quarterly	54.8	41.4	88.7	Ug/l			
Bromodichloromethane	No	Quarterly	8.2	7.9	8.6	Ug/l			
Dibromochloromethane	No	Quarterly	1.4	1.3	1.5	Ug/l			
Bromoform	No	Quarterly	<1	<1	<1	Ug/l			
Total Trihalomethane	No	Quarterly	63.8	51.1	97.3	Ug/l		80	
Inorganic Chemicals									
Nitrate-as N	No	Annually	<0.2	-	-	mg/l	10.0	10.0	Runoff from fertilizer

MICROBIOLOGICAL TABLE

Coliform	No	Monthly	Neg	-	-	%	0	5%	Naturally occurring
Lead and Copper									
Lead *	No	2013	<0.001	<0.001	<0.001	mg/l		(AL) 0.015	Household plumbing corrosion, erosion of natural deposits.
Copper	No	2013	0.04	0.02	0.09	mg/l		(AL) 1.30	

* Lead and Copper are reported at 90th percentile, where 90% of samples collected are less than the average value. Zero lead samples were above the Action Level (AL) of 0.015 mg/l. Samples are taken every 3 years

Town of North Greenbush 2013 Water Test Results

Water District No. 4 PWS ID# NY4130244

TABLE OF DETECTED CONTAMINANTS

Contaminant	Violation Yes/No	Date or Frequency of Sample	Level Detected			Unit Measurement	MCLG MRDLG	Regulatory Limit (MCL, TT, MRDL, AL)	Likely Source of Contamination
			Value or Average	Low	High				
Dibromoacetic Acid	No	Quarterly	<1	<0.5	<1	Ug/l			
Dichloroacetic Acid	No	Quarterly	19.0	11.5	27.0	Ug/l			
Monobromoacetic Acid	No	Quarterly	<1	<0.5	<1	Ug/l			
Monochloroacetic Acid	No	Quarterly	2.3	1.0	4.0	Ug/l			
Trichloroacetic Acid	No	Quarterly	14.1	7.2	25.0	Ug/l			
Total Haloacetic Acid	No	Quarterly	35.4	19.7	56.0	Ug/l		60	
Chloroform	No	Quarterly	41.7	23.8	80.2	Ug/l			
Bromodichloromethane	No	Quarterly	6.8	6.5	7.7	Ug/l			
Dibromochloromethane	No	Quarterly	1.2	1.1	1.2	Ug/l			
Bromoform	No	Quarterly	<1	<1	<1	Ug/l			
Total Trihalomethane	No	Quarterly	49.1	31.5	87.9	Ug/l		80	
Inorganic Chemicals									
Nitrate-as N	No	Annually	<0.2	-	-	mg/l	10.0	10.0	Runoff from fertilizer

MICROBIOLOGICAL TABLE

Coliform	No	Monthly	Neg	-	-	%	0	5%	Naturally occurring
Lead and Copper									
Lead *	No	2013	0.002	<0.001	0.002	mg/l		(AL) 0.015	Household plumbing corrosion, erosion of natural deposits.
Copper	No	2013	0.04	0.02	0.05	mg/l		(AL) 1.30	

* Lead and Copper are reported at 90th percentile, where 90% of samples collected are less than the average value. Zero lead samples were above the Action Level (AL) of 0.015 mg/l. Samples are taken every 3 years

Town of North Greenbush 2013 Water Test Results

Water District No. 6 PWS ID# NY4130253

TABLE OF DETECTED CONTAMINANTS

Contaminant	Violation Yes/No	Date or Frequency of Sample	Level Detected			Unit Measurement	MCLG MRDLG	Regulatory Limit (MCL, TT, MRDL, AL)	Likely Source of Contamination
			Value or Average	Low	High				
Dibromoacetic Acid	No	Quarterly	<1	<0.5	<1	Ug/l			
Dichloroacetic Acid	No	Quarterly	19.4	13.1	26.0	Ug/l			
Monobromoacetic Acid	No	Quarterly	<1	<0.5	<1	Ug/l			
Monochloroacetic Acid	No	Quarterly	<2	<1	3.5	Ug/l			
Trichloroacetic Acid	No	Quarterly	17.7	9.7	31.0	Ug/l			
Total Haloacetic Acid	No	Quarterly	38.5	23.8	57.0	Ug/l		60	
Chloroform	No	Quarterly	49.2	31.9	84.5	Ug/l			
Bromodichloromethane	No	Quarterly	7.4	7.1	7.8	Ug/l			
Dibromochloromethane	No	Quarterly	1.3	1.2	1.4	Ug/l			
Bromoform	No	Quarterly	<1	<1	<1	Ug/l			
Total Trihalomethane	No	Quarterly	57.2	40.5	92.3	Ug/l		80	
Inorganic Chemicals									
Nitrate-as N	No	Annually	<0.2	-	-	mg/l	10.0	10.0	Runoff from fertilizer

MICROBIOLOGICAL TABLE

Coliform	No	Monthly	Neg	-	-	%	0	5%	Naturally occurring
Lead and Copper									
Lead *	No	2013	<0.001	<0.001	<0.001	mg/l		(AL) 0.015	Household plumbing corrosion, erosion of natural deposits.
Copper	No	2013	0.04	<0.02	0.07	mg/l		(AL) 1.30	

* Lead and Copper are reported at 90th percentile, where 90% of samples collected are less than the average value. Zero lead samples were above the Action Level (AL) of 0.015 mg/l. Samples are taken every 3 years

Town of North Greenbush 2013 Water Test Results

Water District No. 8 PWS ID# NY4130245

TABLE OF DETECTED CONTAMINANTS

Contaminant	Violation Yes/No	Date or Frequency of Sample	Level Detected			Unit Measurement	MCLG MRDLG	Regulatory Limit (MCL, TT, MRDL, AL)	Likely Source of Contamination
			Value or Average	Low	High				
Dibromoacetic Acid	No	Quarterly	<1	<0.5	<1	Ug/l			
Dichloroacetic Acid	No	Quarterly	21.0	13.5	26.0	Ug/l			
Monobromoacetic Acid	No	Quarterly	<1	<0.5	<1	Ug/l			
Monochloroacetic Acid	No	Quarterly	2.2	1.3	3.8	Ug/l			
Trichloroacetic Acid	No	Quarterly	19.2	9.1	36.0	Ug/l			
Total Haloacetic Acid	No	Quarterly	41.9	23.9	61.0	Ug/l		60	
Chloroform	No	Quarterly	50.2	30.9	90.8	Ug/l			
Bromodichloromethane	No	Quarterly	7.5	7.0	8.5	Ug/l			
Dibromochloromethane	No	Quarterly	1.3	1.3	1.3	Ug/l			
Bromoform	No	Quarterly	<1	<1	<1	Ug/l			
Total Trihalomethane	No	Quarterly	58.4	39.2	99.3	Ug/l		80	
Inorganic Chemicals									
Nitrate-as N	No	Annually	<0.2	-	-	mg/l	10.0	10.0	Runoff from fertilizer

MICROBIOLOGICAL TABLE

Coliform	No	Monthly	Neg	-	-	%	0	5%	Naturally occurring
Lead and Copper									
Lead *	No	2013	<0.001	<0.001	<0.001	mg/l		(AL) 0.015	Household plumbing corrosion, erosion of natural deposits.
Copper	No	2013	0.11	0.02	0.36	mg/l		(AL) 1.30	

* Lead and Copper are reported at 90th percentile, where 90% of samples collected are less than the average value. Zero lead samples were above the Action Level (AL) of 0.015 mg/l. Samples are taken every 3 years

Town of North Greenbush 2013 Water Test Results

Water District No. 10 PWS ID# NY4130270

TABLE OF DETECTED CONTAMINANTS

Contaminant	Violation Yes/No	Date or Frequency of Sample	Level Detected			Unit Measurement	MCLG MRDLG	Regulatory Limit (MCL, TT, MRDL, AL)	Likely Source of Contamination
			Value or Average	Low	High				
Dibromoacetic Acid	No	Quarterly	<1	<0.5	<1	Ug/l			
Dichloroacetic Acid	No	Quarterly	20.3	13.6	28.0	Ug/l			
Monobromoacetic Acid	No	Quarterly	<1	<0.5	<1	Ug/l			
Monochloroacetic Acid	No	Quarterly	2.3	1.5	3.0	Ug/l			
Trichloroacetic Acid	No	Quarterly	18.2	8.8	30.0	Ug/l			
Total Haloacetic Acid	No	Quarterly	39.6	23.6	55.0	Ug/l		60	
Chloroform	No	Quarterly	49.5	32.0	86.0	Ug/l			
Bromodichloromethane	No	Quarterly	7.5	7.1	8.0	Ug/l			
Dibromochloromethane	No	Quarterly	1.3	<1	1.4	Ug/l			
Bromoform	No	Quarterly	<1	<1	<1	Ug/l			
Total Trihalomethane	No	Quarterly	57.6	40.7	94.0	Ug/l		80	
Inorganic Chemicals									
Nitrate-as N	No	Annually	<0.2	-	-	mg/l	10.0	10.0	Runoff from fertilizer

MICROBIOLOGICAL TABLE

Coliform	No	Monthly	Neg	-	-	%	0	5%	Naturally occurring
Lead and Copper									
Lead *	No	2012	0.0013	<0.001	0.002	mg/l		(AL) 0.015	Household plumbing corrosion, erosion of natural deposits.
Copper	No	2012	0.088	<0.002	0.19	mg/l		(AL) 1.30	

* Lead and Copper are reported at 90th percentile, where 90% of samples collected are less than the average value. Samples are taken every 3 years

Town of North Greenbush 2013 Water Test Results

Water District No. 11 PWS ID# NY4130288

TABLE OF DETECTED CONTAMINANTS

Contaminant	Violation Yes/No	Date or Frequency of Sample	Level Detected			Unit Measurement	MCLG MRDLG	Regulatory Limit (MCL, TT, MRDL, AL)	Likely Source of Contamination
			Value or Average	Low	High				
Dibromoacetic Acid	No	Quarterly	<1	<1	<1	Ug/l			
Dichloroacetic Acid	No	Quarterly	7.9	5.9	11.5	Ug/l			
Monobromoacetic Acid	No	Quarterly	<1	<0.5	<1	Ug/l			
Monochloroacetic Acid	No	Quarterly	5.0	<1	16.1	Ug/l			
Trichloroacetic Acid	No	Quarterly	17.9	10.4	26.0	Ug/l			
Total Haloacetic Acid	No	Quarterly	29.8	18.0	38.0	Ug/l		60	
Chloroform	No	Quarterly	53.8	40.3	81.6	Ug/l			
Bromodichloromethane	No	Quarterly	8.1	7.7	8.3	Ug/l			
Dibromochloromethane	No	Quarterly	1.2	<1	1.5	Ug/l			
Bromoform	No	Quarterly	<1	<1	<1	Ug/l			
Total Trihalomethane	No	Quarterly	62.6	50.1	89.9	Ug/l		80	
Inorganic Chemicals									
Nitrate-as N	No	Annually	<0.2	-	-	mg/l	10.0	10.0	Runoff from fertilizer

MICROBIOLOGICAL TABLE

Coliform	No	Monthly	Neg	-	-	%	0	5%	Naturally occurring
Lead and Copper									
Lead *	No	2013	<0.001	<0.001	<0.001	mg/l		(AL) 0.015	Household plumbing corrosion, erosion of natural deposits.
Copper	No	2013	0.01	<0.02	0.10	mg/l		(AL) 1.30	

* Lead and Copper are reported at 90th percentile, where 90% of samples collected are less than the average value. Zero lead samples were above the Action Level (AL) of 0.015 mg/l. Samples are taken every 3 years

Town of North Greenbush 2013 Water Test Results

Water District No. 12 PWS ID# NY4130305

TABLE OF DETECTED CONTAMINANTS

Contaminant	Violation Yes/No	Date or Frequency of Sample	Level Detected			Unit Measurement	MCLG MRDLG	Regulatory Limit (MCL, TT, MRDL, AL)	Likely Source of Contamination
			Value or Average	Low	High				
Dibromoacetic Acid	No	Quarterly	<1	<0.05	<1	Ug/l			
Dichloroacetic Acid	No	Quarterly	20.1	14.3	24.0	Ug/l			
Monobromoacetic Acid	No	Quarterly	<1	<0.05	<1	Ug/l			
Monochloroacetic Acid	No	Quarterly	1.2	<1	1.5	Ug/l			
Trichloroacetic Acid	No	Quarterly	19.0	10.5	30.0	Ug/l			
Total Haloacetic Acid	No	Quarterly	40.2	25.9	54.0	Ug/l		60	
Chloroform	No	Quarterly	51.3	34.9	91.3	Ug/l			
Bromodichloromethane	No	Quarterly	7.6	6.9	8.4	Ug/l			
Dibromochloromethane	No	Quarterly	1.1	<1	1.4	Ug/l			
Bromoform	No	Quarterly	<1	<1	<1	Ug/l			
Total Trihalomethane	No	Quarterly	59.5	44.0	99.7	Ug/l		80	
Inorganic Chemicals									
Nitrate-as N	No	Annually	0.2	-	-	mg/l	10.0	10.0	Runoff from fertilizer

MICROBIOLOGICAL TABLE

Coliform	No	Monthly	Pos	-	-	%	0	5%	Naturally occurring
Lead and Copper									
Lead *	No	2011	<0.001	<0.001	0.0	mg/l		(AL) 0.015	Household plumbing corrosion, erosion of natural deposits.
Copper	No	2011	0.04	0.0	0.1	mg/l		(AL) 1.30	

* Lead and Copper are reported at 90th percentile, where 90% of samples collected are less than the average value. Zero lead samples were above the Action Level (AL) of 0.015 mg/l. Samples are taken every 3 years

Town of North Greenbush 2013 Water Test Results

Water District No. 13 PWS ID# NY4130306

TABLE OF DETECTED CONTAMINANTS

Contaminant	Violation Yes/No	Date or Frequency of Sample	Level Detected			Unit Measurement	MCLG MRDLG	Regulatory Limit (MCL, TT, MRDL, AL)	Likely Source of Contamination
			Value or Average	Low	High				
Dibromoacetic Acid	No	Quarterly	<1	<0.5	<1	Ug/l			
Dichloroacetic Acid	No	Quarterly	7.2	5.2	8.8	Ug/l			
Monobromoacetic Acid	No	Quarterly	<1	<0.5	<0.5	Ug/l			
Monochloroacetic Acid	No	Quarterly	<2	<1	<2	Ug/l			
Trichloroacetic Acid	No	Quarterly	8.7	4.0	11.3	Ug/l			
Total Haloacetic Acid	No	Quarterly	15.9	11.0	20.1	Ug/l		60	
Chloroform	No	Quarterly	57.4	44.9	79.1	Ug/l			
Bromodichloromethane	No	Quarterly	8.4	8.2	8.5	Ug/l			
Dibromochloromethane	No	Quarterly	1.1	<1	1.6	Ug/l			
Bromoform	No	Quarterly	<1	<1	<1	Ug/l			
Total Trihalomethane	No	Quarterly	66.8	54.9	88.3	Ug/l		80	
Inorganic Chemicals									
Nitrate-as N	No	Annually	0.2	-	-	mg/l	10.0	10.0	Runoff from fertilizer

MICROBIOLOGICAL TABLE

Coliform	No	Monthly	Neg	-	-	%	0	5%	Naturally occurring
Lead and Copper									
Lead *	No	2009	<0.001	<0.001	0.001	mg/l		(AL) 0.015	Household plumbing corrosion, erosion of natural deposits.
Copper	No	2009	0.038	<0.02	0.10	mg/l		(AL) 1.30	

* Lead and Copper are reported at 90th percentile, where 90% of samples collected are less than the average value. Zero lead samples were above the Action Level (AL) of 0.015 mg/l. Samples are taken every 3 years

Town of North Greenbush 2013 Water Test Results

Water District No. 14 PWS ID# NY4130307

TABLE OF DETECTED CONTAMINANTS

Contaminant	Violation Yes/No	Date or Frequency of Sample	Level Detected			Unit Measurement	MCLG MRDLG	Regulatory Limit (MCL, TT, MRDL, AL)	Likely Source of Contamination
			Value or Average	Low	High				
Dibromoacetic Acid	No	Quarterly	<1	<0.5	<1	Ug/l			
Dichloroacetic Acid	No	Quarterly	18.7	12.4	24.0	Ug/l			
Monobromoacetic Acid	No	Quarterly	<1	<0.5	<1	Ug/l			
Monochloroacetic Acid	No	Quarterly	34.2	<1	125.6	Ug/l			
Trichloroacetic Acid	No	Quarterly	15.6	8.9	28.0	Ug/l			
Total Haloacetic Acid	No	Quarterly	61.8	22.3	156.0	Ug/l		60	
Chloroform	No	Quarterly	45.1	29.7	76.6	Ug/l			
Bromodichloromethane	No	Quarterly	7.2	6.8	7.7	Ug/l			
Dibromochloromethane	No	Quarterly	1.1	<1	1.3	Ug/l			
Bromoform	No	Quarterly	<1	<1	<1	Ug/l			
Total Trihalomethane	No	Quarterly	52.9	37.9	84.3	Ug/l		80	
Inorganic Chemicals									
Nitrate-as N	No	Annually	<0.2	-	-	mg/l	10.0	10.0	Runoff from fertilizer

MICROBIOLOGICAL TABLE

Coliform	No	Monthly	Neg	-	-	%	0	5%	Naturally occurring
Lead and Copper									
Lead *	No	2012	0.0016	<0.001	0.004	mg/l		(AL) 0.015	Household plumbing corrosion, erosion of natural deposits.
Copper	No	2012	0.04	<0.02	0.12	mg/l		(AL) 1.30	

* Lead and Copper are reported at 90th percentile, where 90% of samples collected are less than the average value. Zero lead samples were above the Action Level (AL) of 0.015 mg/l. Samples are taken every 3 years

Town of North Greenbush 2013 Water Test Results

Water District No. 16 PWS ID# NY4130312

TABLE OF DETECTED CONTAMINANTS

Contaminant	Violation Yes/No	Date or Frequency of Sample	Level Detected			Unit Measurement	MCLG MRDLG	Regulatory Limit (MCL, TT, MRDL, AL)	Likely Source of Contamination
			Value or Average	Low	High				
Dibromoacetic Acid	No	Quarterly	<1	<0.5	<1	Ug/l			
Dichloroacetic Acid	No	Quarterly	15.3	12.0	18.6	Ug/l			
Monobromoacetic Acid	No	Quarterly	<1	<0.5	<1	Ug/l			
Monochloroacetic Acid	No	Quarterly	1.26	<1	2.6	Ug/l			
Trichloroacetic Acid	No	Quarterly	18.6	10.0	31.0	Ug/l			
Total Haloacetic Acid	No	Quarterly	35.1	25.5	43.0	Ug/l		60	
Chloroform	No	Quarterly	52.0	37.1	82.4	Ug/l			
Bromodichloromethane	No	Quarterly	7.9	7.5	8.5	Ug/l			
Dibromochloromethane	No	Quarterly	1.12	<1	1.4	Ug/l			
Bromoform	No	Quarterly	<1	<1	<1	Ug/l			
Total Trihalomethane	No	Quarterly	60.6	46.3	90.9	Ug/l		80	
Inorganic Chemicals									
Nitrate-as N	No	Annually	<0.2	-	-	mg/l	10.0	10.0	Runoff from fertilizer

MICROBIOLOGICAL TABLE

Coliform	No	Monthly	Pos	-	-	%	0	5%	Naturally occurring
Lead and Copper									
Lead *	No	2012	0.001	<0.001	0.003	mg/l		(AL) 0.015	Household plumbing corrosion, erosion of natural deposits.
Copper	No	2012	0.04	<0.02	0.09	mg/l		(AL) 1.30	

* Lead and Copper are reported at 90th percentile, where 90% of samples collected are less than the average value. Zero lead samples were above the Action Level (AL) of 0.015 mg/l. Samples are taken every 3 years

Town of North Greenbush 2013 Water Test Results

Water District No. 17 PWS ID# NY4122875

TABLE OF DETECTED CONTAMINANTS

Contaminant	Violation Yes/No	Date or Frequency of Sample	Level Detected			Unit Measurement	MCLG MRDLG	Regulatory Limit (MCL, TT, MRDL, AL)	Likely Source of Contamination
			Value or Average	Low	High				
Dibromoacetic Acid	No	Quarterly	<1	<0.5	<1	Ug/l			
Dichloroacetic Acid	No	Quarterly	8.4	5.3	12.3	Ug/l			
Monobromoacetic Acid	No	Quarterly	<1	<0.5	<1	Ug/l			
Monochloroacetic Acid	No	Quarterly	<2	<1	<2	Ug/l			
Trichloroacetic Acid	No	Quarterly	23.1	12.5	41.0	Ug/l			
Total Haloacetic Acid	No	Quarterly	31.5	20.6	49.0	Ug/l		60	
Chloroform	No	Quarterly	59.5	43.8	87.8	Ug/l			
Bromodichloromethane	No	Quarterly	8.8	8.6	9.0	Ug/l			
Dibromochloromethane	No	Quarterly	1.3	<1	1.6	Ug/l			
Bromoform	No	Quarterly	<1	<1	<1	Ug/l			
Total Trihalomethane	No	Quarterly	69.4	54.0	96.6	Ug/l		80	
Inorganic Chemicals									
Nitrate-as N	No	Annually	<0.2	-	-	mg/l	10.0	10.0	Runoff from fertilizer

MICROBIOLOGICAL TABLE

Coliform	No	Monthly	Neg	-	-	%	0	5%	Naturally occurring
Lead and Copper									
Lead *	No	2013	0.003	<0.001	0.010	mg/l		(AL) 0.015	Household plumbing corrosion, erosion of natural deposits.
Copper	No	2013	0.10	<0.02	0.29	mg/l		(AL) 1.30	

* Lead and Copper are reported at 90th percentile, where 90% of samples collected are less than the average value. Zero lead samples were above the Action Level (AL) of 0.015 mg/l. Samples are taken every 3 years

Town of North Greenbush 2013 Water Test Results

Water District No. 18 PWS ID# NY4122875

TABLE OF DETECTED CONTAMINANTS

Contaminant	Violation Yes/No	Date or Frequency of Sample	Level Detected			Unit Measurement	MCLG MRDLG	Regulatory Limit (MCL, TT, MRDL, AL)	Likely Source of Contamination
			Value or Average	Low	High				
Dibromoacetic Acid	No	Quarterly	<1	<0.5	<1	Ug/l			
Dichloroacetic Acid	No	Quarterly	12.7	4.7	16.8	Ug/l			
Monobromoacetic Acid	No	Quarterly	<1	<0.5	<1	Ug/l			
Monochloroacetic Acid	No	Quarterly	<2	<1	<2	Ug/l			
Trichloroacetic Acid	No	Quarterly	18.0	10.2	29.0	Ug/l			
Total Haloacetic Acid	No	Quarterly	31.0	23.3	45.0	Ug/l		60	
Chloroform	No	Quarterly	54.6	39.1	79.1	Ug/l			
Bromodichloromethane	No	Quarterly	8.0	7.7	8.5	Ug/l			
Dibromochloromethane	No	Quarterly	1.12	<1	1.4	Ug/l			
Bromoform	No	Quarterly	<1	<1	<1	Ug/l			
Total Trihalomethane	No	Quarterly	63.5	48.4	87.1	Ug/l		80	
Inorganic Chemicals									
Nitrate-as N	No	Annually	<0.2	-	-	mg/l	10.0	10.0	Runoff from fertilizer

MICROBIOLOGICAL TABLE

Coliform	No	Monthly	Neg	-	-	%	0	5%	Naturally occurring
Lead and Copper									
Lead *	No	2012	0.0044	<0.001	0.017	mg/l		(AL) 0.015	Household plumbing corrosion, erosion of natural deposits.
Copper	No	2012	0.18	<0.02	0.61	mg/l		(AL) 1.30	

* Lead and Copper are reported at 90th percentile, where 90% of samples collected are less than the average value. Zero lead samples were above the Action Level (AL) of 0.015 mg/l. Samples are taken every 3 years